



2 SIDEWALL 'A' EXTERIOR ELEVATION

1 SCALE: 1/8" = 1'-0"




3 SIDEWALL 'B' EXTERIOR ELEVATION

1 SCALE: 1/8" = 1'-0"



5 ENDWALL 'A' INTERIOR ELEVATION

1 SCALE: 1/8" = 1'-0"



4 ENDWALL 'B' INTERIOR ELEVATION

1 SCALE: 1/8" = 1'-0"


IMPORTANT: IN ADDITION TO THESE PLANS (WHICH ALWAYS TAKE PRECEDENCE), YOU SHOULD HAVE THE FOLLOWING FROM ACT BUILDING SYSTEMS:
 - CONSTRUCTION PACKAGE
 - INSTALLATION MANUALS
 - CONSTRUCTION VIDEOS
 PLEASE CONTACT YOUR SALES REP IF YOU HAVE NOT RECEIVED THESE PRIOR TO STARTING CONSTRUCTION.

PROJECT DESIGN CRITERIA

ROOF DEAD L...
 ROOF COLLAT...
 GROUND SNOW...
 ROOF SNOW L...
 ROOF LIVE LO...
 WIND SPEED: 1...
 WIND EXPOSUR...
 Ss: 0.083
 S1: 0.046
 SEISMIC DESIG...
 A (for both pe...
 R transverse...
 RISK CATEGOR...
 WIND DESIGN O...
 ON THE DIRECTIONAL DESIGN PROCEDURE OF ASCE 7-16, CHAPTER 27

SEISMIC DESIGN OF LATERAL FORCE-RESISTING SYSTEMS ARE AS FOLLOWS:
 -- TRANSVERSE, ORDINARY STEEL MOMENT FRAME (SEISMIC DESIGN IS BASED ON ASCE 07-16, SECTIONS 12.1 - 12.8)
 -- LONGITUDINAL, ORDINARY STEEL BRACED FRAME. (SEISMIC DESIGN IS PERFORMED USING THE SIMPLIFIED DESIGN PROCEDURE (ASCE 07-16, SECTION 12.14).
 DESIGN BASE SHEAR: IS SHOWN ON CALCULATION SHEET M2.


COMPONENT DIAGRAM



DEFLECTION LIMITS


PURLINS:	L/150 (STD)
GIRTS:	L/90 (STD)
EW WIND COLUMNS:	L/120 (STD)
WALL PANEL:	L/60 (STD)

ROOF DIAPHRAGM NOTE
 ROOF SHEETING IS USED AS DIAPHRAGM TO BRACE THE BUILDING AND IS NOT TO BE CUT UNDER ANY CIRCUMSTANCES



6 ROOF FRAMING PLAN

1 SCALE: 1/8" = 1'-0"



1 BUILDING LAYOUT PLAN

1 SCALE: 1/8" = 1'-0"

NOTE: DESIGN OF CONCRETE FOUNDATION TO SUPPORT BUILDING SHOWN IS TO BE PROVIDED BY OTHERS.
 BRAND, TYPE, AND EMBEDMENT OF ANCHORAGE OF BUILDING COMPONENTS TO CONCRETE REFER TO COLUMN BASE DETAILS FOR ANCHOR LOCATIONS AND DIAMETER

NOTE: SEE "TYP. FRAME CROSS-SECTION" DETAIL ON SHEET 2 FOR SPECIFIC FRAME DETAIL INFORMATION.

PRELIMINARY
 ONLY NOT FOR
 CONSTRUCTION



ACTBUILDING
 SYSTEMS®

DISTRIBUTOR:
 Toro Steel Buildings
 JOB NAME:
 Toro Steel Buildings
 JOB ADDRESS:
 801 Broadway Avenue NW
 Grand Rapids, MI 49504

DRAWN
 CHECKED
 DATE
 10/29/2024
 JOB NO.
 VNUJ98563015

SHEET
 1
 OF
 1